| Login Username | NHPUC 1JUL'16am10:41 |
|---|----------------------|
| | |
| Login Email | |
| | |
| NH Public Utilities Commission | |
| REC Aggregator Portal | , |
| New Users CLICK HERE to setup your account for this form. Creating an according you to partially complete the form and return later to finish it or to make changes is submitted. Be sure to create your account BEFORE entering information into the information will be lost. | s after the form |
| Existing Users CLICK HERE | |
| Basic Information | |
| Aggregator Batch Number | |
| KE062816 | |
| Aggregator name | |
| Knollwood Energy | |
| Facility Owner Name | |
| Erroll Rhodes | |
| Facility Address | |
| 70 Church St. | |
| Facility Town/City | |
| Deerfield | |
| Facility State | |
| NH | |
| Facility Zip | |
| 03037 | |
| Mailing Zip | |

| Primary Contact |
|---------------------------------------|
| Karen Tenneson |
| Facility Information |
| Class |
| II |
| Utility |
| Eversource |
| Other Utility Name |
| |
| To obtain a GIS ID contact: |
| James Webb |
| 408 517 2174 |
| jwebb@apx.com |
| GIS ID (include "NON") |
| NON85757 |
| Date of Initial Operation |
| 06/07/2016 |
| Facility Operator Name, if applicable |
| Tacinty Operator Name, if applicable |
| Panel Make #1 |
| Sunpower Sunpower |
| Cumpower |
| Panel Model |
| E20-327 |
| Panel Quantity |
| 25 |
| Panel Rated Output |
| 327 |
| Other panel make |
| |

| Other panel model |
|---------------------------------|
| |
| More Panel types? |
| No |
| O Yes |
| Panel Make #2 |
| |
| Panel Model |
| |
| Panel Quantity |
| |
| |
| Panel Rated Output |
| |
| More Panel types? |
| No |
| O Yes |
| Panel Make #3 |
| |
| Panel Model |
| |
| |
| Panel Quantity |
| |
| Panel Rated Output |
| |
| System capacity based on panels |
| 8175 |
| |
| Inverter Make |
| Sunpower E-320 |
| Other inverter make |
| |

.

| Inverter Quantity |
|---|
| 25 |
| Additional Inverter Make |
| None |
| Add'l Inverter Quantity |
| Add Tilverter Quantity |
| |
| Rated Output - Primary Inverter |
| 320 |
| Rated Output - Additional Inverter |
| |
| System capacity based on single inverter make |
| 8000 |
| System capacity based on two inverter types |
| |
| System capacity in kW as stated on the interconnection agreement |
| 8.0 |
| |
| Revenue Grade Meter Make |
| |
| Revenue Grade GIS Approved Meter |
| HIALEAH |
| Other revenue grade CIS approved mater |
| Other revenue-grade GIS-approved meter |
| L |
| Was this facility installed directly by the customer (no electrician involved)? |
| O Yes ● No |
| Electrician Name & Number |
| Troy Diamond 12218M |
| Other Electrician Name & Number |
| |

| Installation Company |
|--|
| Granite State Solar |
| Other Installation Company Name |
| |
| Other Inst. Company Address |
| |
| Other Inst. Company City |
| |
| Other Inst. Company State |
| |
| Other Inst. Company Zip |
| |
| Equipment Vendor Company Name |
| |
| Independent Monitor Name & Company |
| Paul Button - Energy Audits Unlimited |
| Other Monitor Name and Company |
| |
| Is the installer also the equipment supplier? |
| YesNo |
| Equipment Vendor |
| |
| Please attach your completed interconnection agreement including Exhibit B. |
| https://fs30.formsite.com/jan1947/files/f-5-99-7105523_MKWOzejT_rhodes_ex_b_complete.pdf |
| |

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

A revenue quality meter (meeting ANSI C-12.1-2008 for installations up to and including 10 kW, or ANSI C12.16 or better for installations greater than 10kW up to 1 mW) is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-7105523_iJ8QaP16_The_Fieldstone_Trust_NHOS.pdf

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-7105523_JAD2clqP_Fieldstone_Trust_PV_-_Processed_Appl

Aggregator statement of accuracy

Kan Jo

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

06/28/2016

Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA

Exhibit B - Certificate of Completion for Simplified Process Interconnections

| Installation Information: Check if owner | r-installed | | | | | | |
|--|------------------|-----------------------|--|-------|--|--|--|
| Customer or Company Name (print): The Fieldstone | e Trust | | | | | | |
| Contact Person, if Company: | | | ************************************** | | | | |
| Mailing Address: 70 Church St | | | | | | | |
| City:Deerfield | State: | New Hampshire | _ Zip Code: | 03037 | | | |
| Telephone (Daytime): (646) 510-0100 | (Evening): | | | | | | |
| acsimile Number: E-Mail Address:mailbox@otic.net | | | | | | | |
| Facility Information: Eversource Meter # _ G15 962 266 | | | | | | | |
| Address of Facility (if different from above): | | | | | | | |
| City: | _State: | | _ Zip Code: | | | | |
| Electrical Contractor Contact Information: | | | | | | | |
| Electrical Contractor's Name (if appropriate): | te State Solar | | | | | | |
| Mailing Address: 197 North Main St | | | | | | | |
| City: Boscawen | State: | New Hampshire | _ Zip Code: | 03303 | | | |
| Telephone (Daytime): (603) 369-4312 | | | | | | | |
| Facsimile Number: | E-Mail Addre | ess:_justin@grani | testatesolar.cov | И | | | |
| License number:0366 C | | | | | | | |
| Date of approval to install Facility granted by the Company: 2/8/16 | | | | | | | |
| Eversource Application ID number: #N 5243 | | | | | | | |
| Inspection: | | | | | | | |
| The system has been installed and inspected in compliance with the local Building/Electrical Code of: | | | | | | | |
| City: Leerfield | County: | ochingh | am | | | | |
| Signed (Local Electrical Wiring Inspector, or attach sig | ned electrical i | | | | | | |
| Signature: Sichoud H Velleties | | | | | | | |
| Name (printed): | | | Date: 6/2 | 7/16 | | | |
| Customer Certification: | | | | | | | |
| I hereby certify that, to the best of my knowledge, all in Completion is true and correct. This system has been in standards. Also, the initial start-up test required by Puc | nstalled and sh | all be operated in co | mpliance with | | | | |
| Please remember to provide digital photos of the instruction required), the existing Eversource meter, the inverte Customer Signature: | | | | if | | | |
| As a condition of interconnection you are required to se | nd/fax a conv | of this form to | | | | | |
| The state of the s | u vopy | | | | | | |

Eversource

Distributed Generation 780 North Commercial Street P. O. Box 330, Manchester, NH 03105-0330

Fax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.


The project is installed and operating in conformance with applicable building codes.

Erro Rhodes, Fieldstone Trust

Printed Name of signature owner

Signature of system owner

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



Simplified Process Interconnection Application and Service Agreement

[submit form via email to: NHDG@eversource.com]

| | | Eversource Appl | ication Project ID#: | N3243 |
|---|------------------|---|--------------------------|------------------------------|
| Contact Information: | | | y. | |
| Legal Name and Address of Interconnect | ing Custom | er (or Company name if o | nnmnriote) | |
| Customer or Company Name (print): | e Fieldstone | Trust | ppropriate) | |
| Contact Person, if Company: | | | | |
| Mailing Address: 70 Church St | | | | |
| | States | New Hampshire | Zip Code: | 03037 |
| Telephone (Daytime): (646) 510-0100 | State: | | | |
| Facsimile Number: | | E Mail Address | mailbox@otic net | |
| I double in i valence. | | E-Mail Address: | THE ROOM OF CHILD | |
| Alternative Contact Information (e.g., Same: Granite State Solar | System inst | allation contractor or coord | inating company, if ap | propriate): |
| Mailing Address: 197 North Main St | 1 | | | |
| City: Boscawen | State: | New Hampshire | Zip Code: | 03303 |
| Telephone (Daytime): (603) 369-4318 | | | ng): | |
| Facsimile Number: | | (| iustin@grenitestatesol | ar.com |
| | | 2 ************************************* | | |
| Name: | | | | |
| City: | State: | | Zip Code; | |
| Telephone (Daytime):Facsimile Number: | | (Eveni | ng): | |
| Besining (Autilog) | | E-Mail Address: | | |
| Facility Site Information: | | | | |
| Facility (Site) Address: 70 Church St | | | | |
| | | NH | 72:- 71. 4 | 02027 |
| Electric | Glaib. | | Zip Code: | |
| Service Company: Eversource | Accoun | of Namehor. 56074995010 | Matan XI | G15 962 266 |
| | | | | |
| Account and Meter Number: Please consu Number on this application. If the facility | is to be inst | alled in a new location, nie | a conter the correct Acc | ount Number and Meter |
| | | | min brokeno min Director | ratee work resident timinet |
| Eversource Work Request # | | | | |
| Non-Default' Service Customers Only: | | | | |
| Competitive Electric | | | | |
| Energy Supply Company: | | | A consent Number | |
| | mah. Cla | ** *********************************** | Account Number: | |
| Customer's with a Competitive Energy St | <i>фріу</i> Сотр | uny snowa verify the Term | s & Conditions of thei | r contract with their Energy |

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

| Facility Machine Information: | | | | |
|--|--|--|---|--|
| Generator/ | Model Na | | | |
| Inverter Manufacturer: SunPower | Number: <u>E20-327</u> Quantity: <u>25</u> | | | Quantity: 25 |
| Nameplate Rating: .320 (kW)_ | (kVA) | (AC Volts) | | Phase: Single Three |
| Nameplate Rating: The Max AC Nameplate | rating of the individu | al inverter. | | |
| System Design Capacity: 8 | (kW) (k' | VA) Battery Ba | ckup: Yes [| No |
| System Design Capacity: The system total of | f the inverter AC ratio | igs. If there are mi | ultiple invert | ers installed in the system, this is the |
| sum of the AC nameplate ratings of all inver | iers. | | | • |
| Net Metering: If Renewably Fueled, will the | account be Net Mete | ared? Yes | No 🗆 | |
| Prime Mover: Photovoltaic Recipro | cating Engine | Fuel Cell 7 | Turbine 🔲 | Other |
| Energy Source: Solar Wind Hyd | ro Diesel | Natural Gas | Fuel Oil | Other |
| Inverter-based Generating Facilities: UL 1741/IEEE 1547.1 Compliant (Refer To Yes No To No The standard UL 1741.1 dated May, 2007 of Systems," addresses the electrical interconnesubmit their equipment to a Nationally Reconstruction "Listed" is then marked on the exprovided by the inverter manufacturer de External Manual Disconnect Switch: An External Manual Disconnect Switch shall interconnections For Facilities, Puc 905.01 Refer No To No | r later, "Inverters, Corection design of vario ection design of vario gnized Testing Labor quipment and supp escribing the inverter libe installed in accord quirements For Discon | nverters, and Contus forms of general ratory (NRTL) that sorting documents's UL 1741/IEE | rollers for Usating equipmed verifies constation. Please 1547.1 lists | te With Independent Power ent. Many manufacturers choose to apliance with UL 1741, 1. This ase include, any documentation ing. |
| Location of External Manual Disconnect Sw | ritch: Next to the me | ger | | |
| Project Estimated Install Date: TBD | | Project Estimated | l In-Service | Date: TBD |
| Interconnecting Customer Signature: | | | | |
| I hereby certify that, to the best of my knowl | edge all of the inform | nation provided in | this annlica | ion is true and I some to the Towns |
| and Conditions for Simplified Process Int | | | ans appace | TOTAL TO SELECT OF THE TOTAL SELECT |
| 01/1 | | | | |
| Customer Signature: | Doft Tit | le: Homeowner | | Date: 2/1/16 |
| Please include a one-line and/or three-line point in relation to the customer service parreturned. | | | | |
| | | | | |
| | For Eversor | rce Use Only | | |
| Approval to Install Facility: | | É | | |
| Installation of the Facility is approved contin | The state of the s | | or Simplified | Process Interconnections of this |
| Agreement, and agreement to any system me | | | | |
| Are system modifications required? Yes | No Z Tob | e Determined | 1 | 10/ |
| Company Signature: | Min | Title: | 550Ga | 4 Date: 2/1/6 |
| Eversource SPIA rev. 11/15 | | C | 19:100 | Page 2 of 5 |

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

| Company waives inspection/Witness Test: Yes No 🗌 | Date of inspection/Witness Test: |
|--|----------------------------------|
|--|----------------------------------|

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
 easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable altorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).